

## Historic, archived document

Do not assume content reflects current  
scientific knowledge, policies, or practices.







UNITED STATES DEPARTMENT OF AGRICULTURE  
Bureau of Agricultural Economics  
Tobacco Section.

T O B A C C O   S T O C K S   R E P O R T

LEAF TOBACCO HELD BY MANUFACTURERS AND DEALERS JULY 1, 1930.

Washington, D. C.  
August 12, 1930



EXPLANATION OF GROUP SYMBOLS.

GROUPS OF TYPES 11,12,13 and 14:

A-Wrappers  
B-Heavy Leaf, Cutting Leaf, and  
Fillers.  
C-Thin Leaf or Cutters.  
X-Lugs and Ground Leaves.  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPES 21,22,23 and 24:

A-Wrappers.  
B-Heavy Leaf.  
C-Thin Leaf.  
X-Lugs.  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPE 31:

A-Wrappers.  
B-Leaf or Fillers and Tips  
C-Lugs or Cutters.  
X-Trash, Flyings, and Spods.  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPE 32:

B-Heavy Leaf, locally known as Dull  
Crop.  
C-Thin Leaf, locally known as Bright  
Crop.  
X-Seconds and Ground Leaves.  
S -Scrap, as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPES 35,36, AND 37:

A-Wrappers.  
B-Heavy Leaf.  
C-Thin Leaf.  
X-Lugs.  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPE 41:

B-Binders or Tops.  
C-Fillers, locally known as Wrappers  
or B's.  
X-Stemming, Farm Fillers, Ground  
Leaves, and crops unsuitable for  
sorting.  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPES 42,43 AND 44:

C-Fillers, locally known as Wrappers.  
X-Stemming, Farm Fillers, Ground Leaves  
and crops unsuitable for sorting.  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPE 45:

C-Fillers.  
X-Stemming, Ground Leaves, and crops  
unsuitable for sorting.  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPE 46:

C-Tripas or Fillers.  
X-Resagos, Terceros, Boliches, and crops  
unsuitable for sorting.  
S-Scrap (Picadura), as defined.\*  
N-Nondescrip, as defined.\*

GROUPS OF TYPES 51,52, AND 53:

A-Wrappers.  
B-Binders, locally known as Seconds.  
C-Fillers, locally known as Tips or  
B's.  
X-Stemming, Sand-Leaf Fillers, Ground  
Leaves, and crops unsuitable for  
sorting.  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPES 54 and 55:

B-Binders.  
C-Fillers, locally known as Tips or  
B's.  
X-Stemming, Sand-Leaf Fillers, Bottom  
Leaves, and crops unsuitable for  
sorting.  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPES 61 AND 62:

A-Wrappers.  
B-Binders.  
C-Fillers, or Tips.  
X-Trashy Fillers or Loose Leaves.  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

---

\* For definitions of Scrap and Nondescript see Service and Regulatory  
Announcement No. 118, a copy of which will be sent upon request.

TOBACCO STOCKS.  
SUPPLEMENTAL REPORT BY GROUPS OF GRADES.  
JULY 1, 1930.

U. S. TYPE 11.--OLD BELT FLUE-CURED VIRGINIA AND NORTH CAROLINA.

Figures rounded to nearest thousand pounds.

Group	New Crop		Old Crop		July 1	April 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
A	7,461	32	701	-	8,195	10,412
B	61,008	6,071	3,051	765	70,895	85,915
C	87,133	11,012	14	34	98,193	112,617
X	76,749	14,175	5,514	179	96,617	111,382
S	4,974	251	214	142	5,582	5,728
N	199	-	3	2	203	222
Total	237,524	31,541	9,498	1,122	279,685	326,274

U. S. TYPE 12.--EASTERN NORTH CAROLINA FLUE-CURED.

A	231	2	-	-	234	1,724
B	21,149	1,396	73	2	22,620	28,372
C	73,169	6,065	8	6	79,248	105,630
X	56,157	11,575	1,276	21	69,029	73,244
S	2,597	27	74	-	2,697	3,861
N	152	-	1	-	153	159
Total	153,455	19,065	1,431	29	173,980	212,990

U. S. TYPE 13.--SOUTH CAROLINA FLUE-CURED (INCLUDING SOUTHEASTERN NC)

A	518	-	-	-	518	549
B	14,670	609	21	55	15,355	17,974
C	22,674	3,430	-	-	26,105	32,757
X	31,742	6,012	647	20	38,420	39,894
S	733	225	75	40	1,074	1,636
N	121	-	-	-	121	114
Total	70,459	10,276	742	116	81,592	92,924

U. S. TYPE 14.--GEORGIA AND FLORIDA FLUE-CURED.

A	737	-	-	-	737	753
B	7,572	6,893	6	-	14,470	16,365
C	6,166	27,374	2	-	33,542	40,737
X	9,337	5,518	110	-	14,965	16,652
S	206	7	13	-	226	365
N	64	-	-	-	64	90
Total	24,082	39,793	129	-	64,004	74,961

X - Indicates less than 500 pounds.

- Indicates None.

# U. S. TYPE 21.-VIRGINIA FIRE-CURED.

Figures rounded to nearest thousand pounds.

Group	New Crop		Old Crop		July 1	April 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
A	2,694	1	30	-	2,724	2,581
B	8,140	423	4,139	-	12,701	14,271
C	2,297	-	34	-	2,331	3,229
X	17,252	334	27	-	17,613	19,686
S	250	-	-	-	250	251
N	5	-	-	-	5	3
Total	30,638	758	4,229	-	35,625	40,021

# U. S. TYPE 22.-TENNESSEE AND KENTUCKY FIRE-CURED (EASTERN DISTRICT C.H.& S.)

A	4,253	16	40	-	4,310	4,091
B	81,525	254	212	-	81,991	84,058
C	13,901	2	38	1	13,941	13,011
X	19,632	-	104	-	19,737	22,377
S	831	24	6	-	861	564
N	1,115	-	-	-	1,115	1,071
Total	121,257	296	400	1	121,954	125,173

# U. S. TYPE 23.-KENTUCKY AND TENNESSEE FIRE-CURED (WESTERN DISTRICT M. & P.)

A	379	1	14	-	394	429
B	17,808	143	39	8	17,998	20,864
C	3,881	-	30	-	3,911	7,893
X	2,273	-	25	X	2,298	3,943
S	207	31	6	-	243	196
N	56	-	-	-	56	125
Total	24,605	174	114	8	24,901	33,450

# U. S. TYPE 24.-HENDERSON STEMMING OR NORTHERN FIRE-CURED.

A	200	4	-	-	213	409
B	463	316	-	-	779	2,078
C	56	60	-	-	116	260
X	1,051	28	3	-	1,081	2,231
S	89	-	2	-	91	102
N	10	-	-	-	10	10
Total	1,878	408	5	-	2,291	5,089

X- Indicates less than 500 pounds.

- Indicates None.



## U. S. TYPE 31.--BURLEY.

Figures rounded to nearest thousand pounds.

Group	New Crop		Old Crop		July 1	April 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
A	1,880	5	1	-	1,885	2,272
B	138,822	36,003	120	780	175,725	240,419
C	166,335	12,009	772	993	180,109	169,503
X	63,111	7,865	1	4	70,982	83,332
S	8,646	457	317	11	9,432	10,401
N	525	-	1	X	526	451
Total	379,319	56,339	1,212	1,788	438,659	506,377

## U. S. TYPE 32.--SOUTHERN MARYLAND.

B	337	-	-	-	337	162
C	6,648	1,098	2	-	7,748	9,964
X	1,195	149	14	2	1,360	1,743
S	36	-	-	-	36	73
N	72	-	-	-	72	17
Total	8,289	1,248	16	2	9,553	11,960

## U. S. TYPE 35.--ONE SUCKER.

A	1,515	X	7	-	1,523	1,889
B	13,125	18	161	1	13,305	16,018
C	7,068	6	160	-	7,235	10,789
X	7,114	193	95	-	7,403	8,126
S	517	-	-	-	517	579
N	300	-	-	-	300	817
Total	29,641	218	423	1	30,283	38,218

## U. S. TYPE 36.--GREEN RIVER.

A	247	-	10	-	258	404
B	9,778	143	1,168	17	11,105	16,071
C	1,593	-	1,050	-	2,643	2,108
X	12,471	600	584	30	13,686	16,061
S	741	33	12	18	804	931
N	36	-	-	-	36	42
Total	24,867	776	2,824	66	28,533	35,618

## U. S. TYPE 37.--VIRGINIA SUN-CURED.

A	302	-	-	-	302	396
B	1,206	55	20	137	1,417	1,669
C	789	43	42	-	874	839
X	1,025	1,216	-	-	2,241	2,837
S	100	X	-	-	100	80
Total	3,421	1,315	62	137	4,935	5,821

X - Indicates less than 500 pounds.

- Indicates None.

U. S. TYPE 41.-PENNSYLVANIA SEEDLEAF  
Figures rounded to nearest thousand pounds.

Group	New Crop		Old Crop		July 1	April 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
B	1,035	27	1,685	1	2,748	1,399
C	60,045	2,906	5,869	467	69,287	71,735
X	16,881	6,871	69	10	23,831	20,303
S	43	218	X	17	278	355
N	1	-	2	-	3	3
Total	78,004	10,021	7,624	495	96,146	93,795

U. S. TYPE 42.-GEBHARDT, MIAMI VALLEY.

C	10,866	688	1,199	59	12,813	12,647
X	1,727	14	36	X	1,777	2,161
S	3	21	-	3	27	138
N	2	-	-	1	3	-
Total	12,598	723	1,235	64	14,620	14,947

U. S. TYPE 43.-ZIMMER, MIAMI VALLEY.

C	13,108	1,063	2,272	199	16,642	16,314
X	2,379	1,123	70	-	3,572	3,552
S	75	26	X	1	102	78
N	1	-	-	-	1	22
Total	15,564	2,212	2,343	200	20,318	19,960

U. S. TYPE 44.-DUTCH, MIAMI VALLEY.

C	5,266	60	965	51	6,342	5,332
X	943	78	10	-	1,030	1,102
S	18	39	1	-	59	101
N	X	-	-	-	X	1
Total	6,227	177	976	51	7,431	6,536

U. S. TYPE 45.-GEORGIA AND FLORIDA SUN-GROWN.

C	221	1,087	1	-	1,308	1,294
X	19	1	2	-	22	16
S	-	10	-	-	10	6
N	-	-	-	-	-	2
Total	240	1,098	3	-	1,340	1,318

U. S. TYPE 46.-PORTO RICAN SUN-GROWN.

C	3,333	14,639	-	15	17,988	20,296
X	2,593	2,465	-	38	5,096	6,225
S	405	1,208	2	-	1,615	1,899
N	1	33	-	-	34	23
Total	6,332	18,345	3	53	24,734	28,442

X- Indicates less than 500 pounds.

- Indicates None.



U. S. TYPE 51.--CONNECTICUT VALLEY BROADLEAF.

Figures rounded to nearest thousand pounds.

Group	New Crop		Old Crop		July 1	April 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
A	3,032	20	48	-	3,100	2,158
B	16,071	142	1,206	46	17,465	18,331
C	1,086	71	116	X	1,274	1,198
X	5,353	1,663	-	340	7,356	8,293
S	10	87	X	9	105	80
N	1	-	-	-	1	11
Total	25,552	1,982	1,371	395	29,300	30,072

U. S. TYPE 52.--CONNECTICUT VALLEY HAVANA SEED.

A	2,241	3	80	X	2,324	2,590
B	21,382	59	2,416	14	23,871	28,869
C	1,696	17	24	X	1,716	2,605
X	4,098	3,447	1	249	7,794	9,364
S	1	26	-	X	27	38
N	X	-	-	-	X	2
Total	29,418	3,552	2,499	263	35,732	43,469

U. S. TYPE 53.--NEW YORK AND PENNSYLVANIA HAVANA SEED.

A	71	X	2	-	73	62
B	602	2	47	-	651	711
C	164	12	-	X	177	337
X	1,537	174	-	-	1,711	1,695
S	3	6	-	-	9	5
Total	2,377	194	49	X	2,620	2,810

U. S. TYPE 54.--SOUTHERN WISCONSIN.

B	8,641	224	799	4	9,668	10,268
C	3,832	191	1	-	4,024	3,489
X	36,634	7,334	-	-	44,028	46,534
S	12	43	-	-	55	49
Total	49,119	7,852	800	4	57,775	60,340

U. S. TYPE 55.--NORTHERN WISCONSIN.

B	17,445	78	379	6	17,908	18,474
C	2,208	136	25	X	2,369	1,857
X	17,290	1,602	-	-	18,892	20,581
S	45	5	-	-	50	161
N	34	-	-	-	34	7
Total	37,021	1,821	404	7	39,253	41,080

X- Indicates less than 500 pounds.  
- Indicates None.

U. S. TYPE 61.-CONNECTICUT VALLEY SHADE.

Figures rounded to nearest thousand pounds.

Group	New Crop		Old Crop		July 1	April 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
A	6,738	17	55	-	6,810	7,077
B	2,053	46	21	X	2,100	2,218
C	731	347	73	4	1,156	997
X	27	3	X	2	33	79
S	2	104	-	3	109	125
N	X	-	-	-	X	5
Total	9,571	518	149	9	10,207	10,499

U. S. TYPE 62.-GEORGIA AND FLORIDA SHADE.

A	3,449	4	13	X	3,466	4,223
B	393	15	2	-	410	491
C	44	6	12	-	62	193
X	28	1	-	-	29	34
S	X	1	-	-	1	3
N	-	-	-	-	-	6
Total	3,914	27	27	X	3,968	4,950

U. S. TYPE 70.-MISCELLANEOUS DOMESTIC.

No Groups:	2,172	596	63	101	2,932	4,106
------------	-------	-----	----	-----	-------	-------

U. S. TYPE 80.-FOREIGN-GROWN CIGAR LEAF TOBACCO.

No Groups:	8,207	7,242	90	90	5,628	15,125
------------	-------	-------	----	----	-------	--------

U. S. TYPE 90.-FOREIGN-GROWN TOBACCO OTHER THAN CIGAR LEAF.

No Groups:	70,322	69	3,670	4	74,025	79,003
------------	--------	----	-------	---	--------	--------

GRAND TOTAL ALL TYPES.

	New Crop		Old Crop		Grand Total
	Unstemmed	Stemmed	Unstemmed	Stemmed	
July 1, 1930:	1,466,033	218,636	42,349	5,003	1,732,026
April 1, 1930:	1,677,942	228,723	52,377	6,285	1,965,246

X - Indicates less than 500 pounds.

- Indicates None.











